Binge Drinking Among Students, by County and Public Health District, Maine, 2011

Demographic Groups	High School			Middle School		
	weighted n	%	95% CI	weighted n	%	95% CI
Total	9,759	16.9	16.1 - 17.7	786	2.8	2.5 - 3.2
County						
Androscoggin	624	13.6	11.6 - 15.6	38	1.8	0.7 - 2.9
Aroostook	504	16.0	13.5 - 18.6	31	2.0	1.1 - 2.9
Cumberland	2,153	17.2	15.6 - 18.8	148	2.6	1.6 - 3.7
Franklin	246	19.6	13.9 - 25.3	^	۸	٨
Hancock	270	13.2	10.6 - 15.8	21	2.2	0.8 - 3.6
Kennebec	729	14.4	12.9 - 16.0	65	2.5	1.8 - 3.2
Knox	238	18.3	10.8 - 25.7	26	4.1	2.1 - 6.1
Lincoln	۸	٨	۸	29	3.8	1.4 - 6.2
Oxford	532	17.5	15.6 - 19.4	54	3.6	3.0 - 4.3
Penobscot	1,315	18.9	17.6 - 20.2	85	2.8	1.7 - 3.9
Piscataquis	165	19.0	7.1 - 31.0	13	3.1	0.3 - 5.8
Sagadahoc	277	16.7	12.0 - 21.5	35	4.6	2.7 - 6.5
Somerset	465	17.8	15.0 - 20.7	43	3.1	2.2 - 4.0
Waldo	254	20.4	18.9 - 22.0	29	3.8	2.3 - 5.2
Washington	258	18.5	11.3 - 25.7	18	2.9	1.9 - 4.0
York	1,476	17.2	14.6 - 19.8	127	2.8	2.1 - 3.5
Public Health District						
Aroostook	504	16.0	13.5 - 18.6	31	2.0	1.1 - 2.9
Central	1,219	15.9	14.3 - 17.5	108	2.7	2.1 - 3.2
Cumberland	2,153	17.2	15.6 - 18.8	148	2.6	1.6 - 3.7
Downeast	521	15.1	12.0 - 18.3	40	2.5	1.5 - 3.6
Midcoast	1,037	18.2	15.6 - 20.8	120	4.1	3.2 - 5.1
Penquis	1,480	18.9	17.2 - 20.7	98	2.9	1.8 - 3.9
Western	1,393	15.7	13.8 - 17.5	117	2.8	2.2 - 3.4
York	1,476	17.2	14.6 - 19.8	127	2.8	2.1 - 3.5

Data Source: Maine Integrated Youth Health Survey. Middle school survey includes 7th and 8th grade students.

Based on students who reported having 5 or more drinks of alcohol in a row at least once during the past 30 days

All percentages are weighted to be more representative of the population of Maine students and to adjust for non-response.

95% CI = 95% Confidence Interval.

[^] Results are not reported because weighted data are not available due to low response rates.